

BANLIGHT DUO FR

Vertical And Roller Blind Fabric Specification



SK Systèmes
Unit A1
Yelverton Business Park
Yelverton
Devon
PL20 7PE

Tel : +44 (0)1822 859 178
Fax : +44 (0)1822 854 344
E-mail : sales@sksystemes.net
Web: www.skssystemes.net

KEY FEATURES:

- Fabric composition:** 100% Polyester
- Fire retardancy:** EN 13773 : 2003 Class 1; BS5867 - 2, Type B : 2008 for fire retardancy when tested in accordance with BS5438 : 1989
- Shading:** Block-out - Recommended for computer environments
- Moisture Resistance:** Acticide coated - suitable for moist conditions

STANDARD SPECIFICATIONS:

- Colour range:** 26
- Louvre widths available:** 89mm (3 1/2"); 127mm (5")
- Roller fabric width:** 200cm (78.5") nominal
- Typical fabric weight:** 330gsm (+/- 10)
- Fabric thickness:** 0.45mm - nominal
- Colourfast:** Conforms to BS5867 - 1 : 2004 for light fastness to Grade 6 minimum when tested in accordance with ISO 105 - B02 : 1999
- Care instructions:** Wipe with damp sponge; Do not wash; Do not tumble dry; Do not dry clean; Do not iron.

COLOUR	HEAT		LIGHT		S-C
	T	R	T	R	
Beige	0	62	0	61	0.33
Black	0	4	0	4	0.83
Blue	0	16	0	13	0.73
Cerise	0	13	0	30	0.77
Daffodil	0	56	0	61	0.38
Fuschia	0	19	0	38	0.70
Grape	0	18	0	32	0.71
Grey	0	40	0	41	0.52
Harvest	0	42	0	43	0.50
Hot Pink	0	26	0	32	0.64
Lt Blue	0	48	0	47	0.45
Lilac	0	63	0	62	0.32
Lime	0	58	0	56	0.36
Mint Green	0	40	0	42	0.52
Mulberry	0	32	0	11	0.59
Navy	0	9	0	6	0.79
Optic White	0	69	0	82	0.27
Pink	0	57	0	58	0.37
Pistachio	0	34	0	30	0.57
Silver	0	51	0	53	0.42
Sky Blue	0	36	0	38	0.56
Taupe	0	37	0	34	0.55
Turquoise	0	28	0	26	0.62
Tuscan Orange	0	33	0	36	0.58
Vanilla	0	61	0	72	0.34
Willow	0	69	0	83	0.27

This data is based on:
Tests conducted using double glazed 6mm float glass with 12mm air space.
Blinds are fully closed.

Shading Co-efficients are calculated for radiation at normal incidence. Standard U value is 2.75 W/M 2k = 0.49Btu/ft2hx°F.

Important: Performance data has been compiled with great care using the latest techniques. However, it is advisable to check actual suitability of fabrics for a particular application before use.

In line with our commitment to product development, specifications may be subject to change without notice.

T = % Transmitted : R = % Reflected : S-C = Shading Co-efficient. Shading Co-efficients are expressed as a decimal between 0 and 1. The lower the figure, the higher the shading efficiency of the blind.



Mint Green



Mulberry



Beige



Black



Blue



Navy



Optic White



Pink



Cerise



Daffodil



Fuschia



Pistachio



Silver



Sky Blue



Grape



Grey



Harvest



Taupe



Turquoise



Tuscan Orange



Hot Pink



Light Blue



Lilac



Vanilla



Willow



Lime